



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
AND	<input type="text"/>	in	All Fields
AND	<input type="text"/>	in	All Fields

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

(eddy <phrase> current <phrase> probe)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEEE Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Standards

**» Select date range**☐ Search latest content update (20 Jun 2005)

☒ From year  to

**» Display Format**☒ Citation ☐ Citation & Abstract**» Organize results**

Maximum   
Display  results per page  
Sort by   
In  order

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE - All Rights Reserved

indexed by  
 Inspec



Welcome United States Patent and Trademark Office

## Search Results

## BROWSE

## SEARCH


## IEEE XPLORE GUIDE

## SUPPORT

Results for "(((eddy &lt;phrase&gt; current &lt;phrase&gt; probe) &lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1..."

Your search matched 43 of 1171917 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

» Key

## Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

## Select Article Information

1-25

- ☐ 1. **Eddy current testing probe composed of planar coils**  
Yamada, S.; Katou, M.; Iwahara, M.; Dawson, F.P.;  
Magnetics, IEEE Transactions on  
Volume 31, Issue 6, Nov. 1995 Page(s):3185 - 3187  
[AbstractPlus](#) | Full Text: [PDF](#)(260 KB) IEEE JNL
- ☐ 2. **Eddy current probe for nondestructive testing using cross-coupled figure-eight coils**  
Sasada, I.; Watanabe, N.;  
Magnetics, IEEE Transactions on  
Volume 31, Issue 6, Nov. 1995 Page(s):3149 - 3151  
[AbstractPlus](#) | Full Text: [PDF](#)(672 KB) IEEE JNL
- ☐ 3. **Signal simulator for the calibration of eddy current probes**  
Derun, E.N.; Kolyshkin, A.A.; Vaillancourt, R.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 1, Jan. 1994 Page(s):92 - 97  
[AbstractPlus](#) | Full Text: [PDF](#)(424 KB) IEEE JNL
- ☐ 4. **Simulation of a remote field eddy current detector in eccentric thin-walled non ferrous tub using a 3D finite-element program**  
Diserens, N.J.; Sullivan, S.P.;  
Magnetics, IEEE Transactions on  
Volume 30, Issue 5, Sep 1994 Page(s):3737 - 3740  
[AbstractPlus](#) | Full Text: [PDF](#)(280 KB) IEEE JNL
- ☐ 5. **The impedance of eddy current probes above layered metals whose conductivity and permeability vary continuously**  
Uzal, E.; Rose, J.H.;  
Magnetics, IEEE Transactions on  
Volume 29, Issue 2, Mar 1993 Page(s):1869 - 1873  
[AbstractPlus](#) | Full Text: [PDF](#)(332 KB) IEEE JNL
- ☐ 6. **Surface potential distributions due to eddy currents around long cracks in metals, induced shaped current-carrying wires**  
Sadeghi, S.H.H.; Mirshekar-Syahkal, D.;  
Magnetics, IEEE Transactions on  
Volume 27, Issue 1, Jan 1991 Page(s):674 - 679  
[AbstractPlus](#) | Full Text: [PDF](#)(468 KB) IEEE JNL

7. Validation of three dimensional eddy-current probe-flaw interaction model using analytical

- ☐ **results**  
Bowler, J.R.; Jenkins, S.A.;  
Magnetics, IEEE Transactions on  
Volume 26, Issue 5, Sep 1990 Page(s):2085 - 2088  
[AbstractPlus](#) | [Full Text: PDF\(316 KB\)](#) IEEE JNL
  
- ☐ **8. Eddy-current probe impedance due to a surface slot in a conductor**  
Bowler, J.R.; Sabbagh, L.D.; Sabbagh, H.A.;  
Magnetics, IEEE Transactions on  
Volume 26, Issue 2, Mar 1990 Page(s):889 - 892  
[AbstractPlus](#) | [Full Text: PDF\(228 KB\)](#) IEEE JNL
  
- ☐ **9. A theoretical and computational model of eddy-current probes incorporating volume integ conjugate gradient methods**  
Bowler, J.R.; Sabbagh, L.D.; Sabbagh, H.A.;  
Magnetics, IEEE Transactions on  
Volume 25, Issue 3, May 1989 Page(s):2650 - 2664  
[AbstractPlus](#) | [Full Text: PDF\(936 KB\)](#) IEEE JNL
  
- ☐ **10. The reduced impedance function for cup-core eddy-current probes**  
Bowler, J.R.; Sabbagh, H.A.; Sabbagh, L.D.;  
Magnetics, IEEE Transactions on  
Volume 25, Issue 3, May 1989 Page(s):2646 - 2649  
[AbstractPlus](#) | [Full Text: PDF\(304 KB\)](#) IEEE JNL
  
- ☐ **11. Semianalytical method for calculating the impedance variation of an arbitrary eddy-current**  
Juillard, J.; Pichenot, G.; Masia, A.;  
Magnetics, IEEE Transactions on  
Volume 38, Issue 5, Sept. 2002 Page(s):3448 - 3453  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(322 KB\)](#) IEEE JNL
  
- ☐ **12. Design of encircling remote field eddy-current probe**  
Young-Kil Shin;  
Magnetics, IEEE Transactions on  
Volume 38, Issue 2, March 2002 Page(s):1273 - 1276  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(227 KB\)](#) IEEE JNL
  
- ☐ **13. Eddy current probe patterned in YBCO**  
Podney, W.N.; Murduck, J.M.;  
Applied Superconductivity, IEEE Transactions on  
Volume 11, Issue 1, March 2001 Page(s):1287 - 1290  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(316 KB\)](#) IEEE JNL
  
- ☐ **14. Hybrid double-D sheet-inducer for SQUID-based NDT**  
Lobera-Serrano, J.A.; Claycomb, J.R.; Miller, J.H., Jr.; Salama, K.;  
Applied Superconductivity, IEEE Transactions on  
Volume 11, Issue 1, March 2001 Page(s):1283 - 1286  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(332 KB\)](#) IEEE JNL
  
- ☐ **15. Giant magnetoresistance-based eddy-current sensor**  
Dogaru, T.; Smith, S.T.;  
Magnetics, IEEE Transactions on  
Volume 37, Issue 5, Sept. 2001 Page(s):3831 - 3838  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(248 KB\)](#) IEEE JNL
  
- ☐ **16. Vector potential integral formulation for eddy-current probe response to cracks**  
Yoshida, Y.; Bowler, J.R.;  
Magnetics, IEEE Transactions on  
Volume 36, Issue 2, March 2000 Page(s):461 - 469  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(216 KB\)](#) IEEE JNL

- ☐ **17. Thin-skin eddy-current Interaction with semielliptical and epicyclic cracks**  
Bowler, J.R.; Harfield, N.;  
Magnetics, IEEE Transactions on  
Volume 36, Issue 1, Jan. 2000 Page(s):281 - 291  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(240 KB\)](#) IEEE JNL
  
- ☐ **18. A measurement system based on magnetic sensors for nondestructive testing**  
Bernieri, A.; Betta, G.; Rubinacci, G.; Villone, F.;  
Instrumentation and Measurement, IEEE Transactions on  
Volume 49, Issue 2, April 2000 Page(s):455 - 459  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(160 KB\)](#) IEEE JNL
  
- ☐ **19. Crack detection and recognition using an eddy current differential probe**  
Chady, T.; Enokizono, M.; Sikora, R.;  
Magnetics, IEEE Transactions on  
Volume 35, Issue 3, May 1999 Page(s):1849 - 1852  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(348 KB\)](#) IEEE JNL
  
- ☐ **20. Crack size and shape determination by moving magnetic field type sensor**  
Enokizono, M.; Tsuchida, Y.; Chady, T.;  
Magnetics, IEEE Transactions on  
Volume 34, Issue 4, July 1998 Page(s):1252 - 1254  
[AbstractPlus](#) | Full Text: [PDF\(284 KB\)](#) IEEE JNL
  
- ☐ **21. Finite element modeling of conducting shells for eddy current NDE problems using "impe type" interface conditions**  
Badics, Z.; Matsumoto, Y.; Kojima, S.; Usui, Y.; Aoki, K.; Nakayasu, F.;  
Magnetics, IEEE Transactions on  
Volume 33, Issue 2, March 1997 Page(s):1334 - 1337  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(364 KB\)](#) IEEE JNL
  
- ☐ **22. Prediction of eddy current probe signal trajectories**  
Palanisamy, R.; Lord, W.;  
Magnetics, IEEE Transactions on  
Volume 16, Issue 5, Sep 1980 Page(s):1083 - 1085  
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) IEEE JNL
  
- ☐ **23. A finite element model for three-dimensional Eddy current NDT phenomena**  
Ida, N.; Lord, W.;  
Magnetics, IEEE Transactions on  
Volume 21, Issue 6, Nov 1985 Page(s):2635 - 2643  
[AbstractPlus](#) | Full Text: [PDF\(912 KB\)](#) IEEE JNL
  
- ☐ **24. Impedance and mesh structure considerations in the finite element analysis of Eddy current probe phenomena**  
Udpa, L.; Lord, W.;  
Magnetics, IEEE Transactions on  
Volume 21, Issue 6, Nov 1985 Page(s):2269 - 2272  
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE JNL
  
- ☐ **25. A model of eddy-current probes with ferrite cores**  
Sabbagh, H.;  
Magnetics, IEEE Transactions on  
Volume 23, Issue 3, May 1987 Page(s):1888 - 1904  
[AbstractPlus](#) | Full Text: [PDF\(1208 KB\)](#) IEEE JNL

[View selected items](#)

1-25





Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	In	All Fields	
AND	<input type="text"/>	In	All Fields
AND	<input type="text"/>	In	All Fields

[Run Search](#)[Reset](#)**OPTION 2**

Enter keywords, phrases, or a Boolean expression

(eddy <phrase> current <phrase> probe)  
<and> (tube <phrase> location)

[Run Search](#)[Reset](#)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEEE Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Standards

**» Select date range**☐ Search latest content update (20 Jun 2005)

☒ From year  to

**» Display Format**☒ Citation ☐ Citation & Abstract**» Organize results**

Maximum   
Display  results per page  
Sort by   
In  order

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "(((eddy &lt;phrase&gt; current &lt;phrase&gt; probe) &lt;and&gt; (tube &lt;phrase&gt; location))&lt;...&gt;"

Your search matched **0** of **1171917** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)**Modify Search****» Key** **IEEE JNL** IEEE Journal or Magazine☐ Check to search only within this results set**IEE JNL** IEE Journal or Magazine**Display Format:** ☒ Citation ☐ Citation & Abstract**IEEE CNF** IEEE Conference Proceeding**IEE CNF** IEE Conference Proceeding**No results were found.****IEEE STD** IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
AND	<input type="text"/>	in	All Fields
AND	<input type="text"/>	in	All Fields

[Run Search](#)[Reset](#)**OPTION 2**

Enter keywords, phrases, or a Boolean expression

reactor <and> (eddy <phrase> current <phrase> probe)	
---	--

[Run Search](#)[Reset](#)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEEE Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Standards

**» Select date range**☐ Search latest content update (20 Jun 2005)

☒ From year   
to

**» Display Format**☒ Citation ☐ Citation & Abstract**» Organize results**

Maximum   
Display  results per page  
Sort by   
In  order

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE - All Rights

Indexed by  
 Inspec





Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
AND	<input type="text"/>	in	All Fields
AND	<input type="text"/>	in	All Fields

[Run Search](#)[Reset](#)**OPTION 2**

Enter keywords, phrases, or a Boolean expression

tubesheet <and> (eddy <phrase> current <phrase> probe) <and> (tube <phrase> location)	
---	--

[Run Search](#)[Reset](#)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEEE Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Standards

**» Select date range**☐ Search latest content update (20 Jun 2005)

☒ From year  to

**» Display Format**☒ Citation ☐ Citation & Abstract**» Organize results**

Maximum   
Display  results per page  
Sort by   
In  order

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

Advanced Search

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
AND	<input type="text"/>	in	All Fields
AND	<input type="text"/>	in	All Fields

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

(eddy <phrase> current <phrase> probe)  
<and> (identify <phrase> tube <phrase>  
location)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

## » Select date range

☐ Search latest content update (20 Jun 2005)

☒ From year  to

## » Display Format

☒ Citation ☐ Citation & Abstract

## » Organize results

Maximum   
Display  results per page  
Sort by   
In  order

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE - All Rights

indexed by  
 Inspec



Welcome United States Patent and Trademark Office

## Search Results


## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

## SUPPORT

Results for "(((eddy &lt;phrase&gt; current &lt;phrase&gt; probe) &lt;and&gt; (identify &lt;phrase&gt; tube &lt;...&gt;)"



Your search matched 0 of 1171917 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)

## Modify Search

## » Key



IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract


IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)


© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((reactor &lt;and&gt; (eddy &lt;phrase&gt; current &lt;phrase&gt; probe))&lt;in&gt;metadata)) &lt;a..."



Your search matched 1 of 1171917 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

## Modify Search


(((reactor &lt;and&gt; (eddy &lt;phrase&gt; current &lt;phrase&gt; probe))&lt;in&gt;metadata)) &lt;and&gt; (py

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

- ☐
1. Finite element modeling of conducting shells for eddy current NDE problems using "impe type" interface conditions

Badics, Z.; Matsumoto, Y.; Kojima, S.; Usui, Y.; Aoki, K.; Nakayasu, F.;  
Magnetics, IEEE Transactions on  
Volume 33, Issue 2, March 1997 Page(s):1334 - 1337[AbstractPlus](#) | [References](#) | Full Text: [PDF\(364 KB\)](#) IEEE JNL[View Selected Items](#)

Indexed by

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE - All Rights



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
AND	<input type="text"/>	in	All Fields
AND	<input type="text"/>	in	All Fields

[Run Search](#)[Reset](#)**OPTION 2**

Enter keywords, phrases, or a Boolean expression

tubesheet <and> (eddy <phrase> current <phrase> probe)	
---	--

[Run Search](#)[Reset](#)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications.

- ☒ IEEE Periodicals
- ☒ IEEE Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Standards

**» Select date range**☐ Search latest content update (20 Jun 2005)

☒ From year  to

**» Display Format**☒ Citation ☐ Citation & Abstract**» Organize results**Maximum Display  results per pageSort by In  order[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE - All Rights

indexed by  
 Inspec



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)[E-mail](#) [Print](#)

Results for "(((tubesheet &lt;and&gt; (eddy &lt;phrase&gt; current &lt;phrase&gt; probe))&lt;in&gt;metadata)) &lt;...&gt;"

Your search matched 0 of 1171917 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

Modify Search

(((tubesheet <and> (eddy <phrase> current <phrase> probe))<in>metadata)) <and> (

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)


© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "(((tubesheet &lt;and&gt; (eddy &lt;phrase&gt; current &lt;phrase&gt; probe) &lt;and&gt; (tube &lt;ph..."

Your search matched **0** of **1171917** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)**Modify Search**[» Key](#)

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

**No results were found.**

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	In	All Fields	
AND	<input type="text"/>	In	All Fields
AND	<input type="text"/>	In	All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>			

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

<pre>tubesheet &lt;and&gt; (eddy &lt;phrase&gt; current &lt;phrase&gt; probe) &lt;and&gt; (identify &lt;phrase&gt; tube &lt;phrase&gt; location)</pre>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators &lt;and&gt; or &lt;or&gt; without the start and end brackets &lt;&gt;.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEEE Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Standards

## » Select date range

☐ Search latest content update (20 Jun 2005)☒ From year  to 

## » Display Format

☒ Citation ☐ Citation & Abstract

## » Organize results

Maximum   
Display  results per page  
Sort by   
In  order

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights Reserved

Indexed by  
 Inspec






Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((tubesheet &lt;and&gt; (eddy &lt;phrase&gt; current &lt;phrase&gt; probe) &lt;and&gt; (identify &amp;l..."



Your search matched 0 of 1171917 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

Modify Search



IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights